



GRANBERG 9014

Chemical-and-Cut-Resistant Gloves with Impact Protection

Nitrile, Typhoon® liner, high visibility green

- Nitrile provides liquid-proof barrier and protection against a wide range of chemicals.
- High abrasion-resistant material increases durability.
- High chemical resistance (EN 374:2016/Type A) and approved for a number of different chemicals.
- Approved for 48% Hydrofluoric acid (HF) with > 480 minutes permeation time (in liquid form).
- Approved for 99% Hydrogen fluoride (HF) with > 480 minutes permeation time (in gas form).
- High visibility green for maximum safety.
- Heat resistant up to 100°C for 15 seconds.
- Shorter version of 115.9013.

Features



Cut Resistant



Waterproof

Standards and Approvals



AQL 1.5

CE cat. III

EN 388:2016+A1:2018



4X44FP

EN 407:2004



X1XXXX

EN 420:2003+A1:2009



EN ISO 374-1:2016+A1:2018/
Type A



AJKOPT

EN ISO 374-5:2016



Suitable for:

Petrochemical Industries | Clean Up | Sewage/Draining Facilities | Water Treatment Facilities.

Product Details

| | |
|----------------|-----------------------------------|
| Article number | 115.9014 |
| Colour | Black, Green |
| Glove Fit | Loose fit |
| Grip | Dry, Wet, Oil |
| Grip design | Diamond |
| Length | 32 cm |
| Sizes | 8/M 9/L 10/XL 11/XXL |
| Thickness | 1.55 mm |
| Liner material | Typhoon® |
| Lining type | Fully lined |
| Material | Nitrile |

Packaging Information

| | |
|----------------------------|-------------|
| Packaging Unit | Pair |
| Sales Units Per Bundle | 6 |
| Sales Units Per Outer Case | 36 |

GRANBERG®
FEARLESS PERFORMANCE